

Pin version





The CON-M12-4PIN-Double-AdapterMale is an adapter. This adapter was specially designed for applications where open cable ends must be adapted quickly and easily to a standard plug and a small form factor is also required. If the connection point is properly housed, higher protection levels are possible. The great advantage of the design is that the spring-loaded terminals make assembly easy and can be done under field conditions.



Key commercial data

Packing unit	1 pc
Weight per piece (excluding packing)	9g
Weight per piece (including packing)	20g
Country of origin	Germany

Technical data mechanically

Width (W)	36mm
Height (H)	15mm
Depth (D)	16,5mm
Ambient temperature (operation)	0°C 50°C
Ambient temperature (storage/transport)	-20°C 70°C
Relative humidity	90% without condensation
Mounting position	any
Contact material of the connector	Brass
Contact coating of the connector	Shiny gold plated



CON-M12-4PIN-Double-AdapterMale

Pin version


Technical data electric


48V AC/DC	
2A	
IP20	
Push-in spring connection	
0,14mm ² 0,5mm ²	
0,25mm ² 0,5mm ²	
0,25mm ² 0,5mm ²	
0,25mm ² 0,34mm ²	
6mm	
Connection data connector	
M12 4-pol pin A coded	

Standards and Regulations

Standards/regulations EN 50581: 02/13

PIN assignment







CON-M12-4PIN-Double-AdapterMale

Pin version

Pictures

